



# Nebula Series

NES-R48300

51.2V 314Ah 16.07KWh



The NES-W48300 is a high-performance solar lithium battery designed for residential energy storage. Equipped with an intelligent BMS, it monitors and optimizes battery performance in real time, extending service life and enabling convenient remote monitoring via mobile app. The wall-mounted design allows easy installation and space saving. It also provides reliable backup power for home appliances, ensuring energy security in various situations.

Jiangsu Oliter  
Energy Technology  
Co., Ltd

## FEATURES



### Multi-Scenario

- With optional detachable wheels, the battery also offers mobile energy storage function
- Multi-language support: Chinese/English/Arabic etc.



### Longer Life and Safer

- A+ grade lithium iron phosphate



### Low Maintenance

- Firmware update service via built-in bluetooth
- Check battery operation status and configure BMS via bluetooth



### Flexible and Expandable


- Up to 15 units in parallel



### Certification

- UN38.3, MSDS, IEC62619, CE

## Dimensions



Model	NES-R48300
Rated Capacity(Ah)	314
Battery Type	LiFePO4
Rated Voltage(V)	51.2
Voltage Range(V)	44.8-57.6
Rated Energy(kWh)	16.07
Recommend Charging&Discharging Current(A)	140
Max.Charge&Discharging Current(A)	200
Net Weight(kg)	130
DimensionW*H*D(mm)	560*916*265
Depth of Discharge	90%
Recomended Charge & Discharge C Rate	0.5C
Expansion	Up to 15 units in parallel
Installation	Floor-mounted
Communication	RS485&CAN&RS232
Ingress Protection	IP20
Cycle Life*	≥6000@25°C
Operating Temperature Range	Charge: 0°C to 50°C, Discharge:-20°C to 50°C
Monitoring & Protection	Each system has smart BMS, bluetooth module in battery
Safety Certificate	CE/IEC62619/UN38.3/MSDS

\*Test conditions: 0.5C Charging & Discharging, @25°C

